

# Safety Data Sheet

Product Name: 200 GR DK. BLUE FINE CLAY

Product identifier: PL600A

Revision Date: 08-19-2016

Replaces:

**Auto Magic**  
Professional Car Care<sup>®</sup>

## 1. Identification

Product identifier used on the label:

Product Name: 200 GR DK. BLUE FINE CLAY Stock# 85-587, 86-583

Product identifier: PL600A

Other means of identification

Synonyms: No data available

Recommended use of the chemical and restrictions on use: Automotive detailing

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Chemical Manufacturer /  
Importer / Distributor: ITW Evercoat  
a division of Illinois Tool Works Inc.  
1275 Round Table Drive  
Dallas, TX 75247

Emergency phone number: CHEMTREC: 1-800-424-9300  
CANUTEC: 1-613-996-6666

## 2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard  
Symbols:



GHS Classification: Carcinogenicity Category 1A

GHS Signal Word: Danger

GHS Hazard Statements: May cause cancer.

GHS Precautionary Statements:

Safety Precautions: Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Wear protective gloves/protective clothing/eye protection/face protection.  
IF exposed or concerned: Get medical advice/attention.

First Aid Measures:

Storage: Store locked up.

Disposal: Dispose of contents/container in accordance with

# Safety Data Sheet

Product Name: 200 GR DK. BLUE FINE CLAY

Product identifier: PL600A

Revision Date: 08-19-2016

Replaces:

local/regional/national/international regulation for hazardous wastes.

Hazards not otherwise classified: No data available

### 3. Composition/information on ingredients

Chemical Component:	CAS number and other unique identifiers	% (or range) of ingredient
Titanium dioxide	13463-67-7	1 - 5
Crystalline Silica (Quartz)	14808-60-7	0.1 - 1

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

**Eye Contact:** Use an eye wash to remove a chemical from your eye regardless of the level of hazard. Flush the affected eye for at least twenty minutes. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical advice after flushing.

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Have eyes examined and tested by medical personnel.

**Skin Contact:** Wash with soap and water. Get medical attention if irritation develops or persists.

**Inhalation:** Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen.

**Ingestion:** Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical attention immediately. Provide medical care provider with this MSDS.

**Most important symptoms/effects, acute and delayed:**

**Most important symptoms/effects (Acute):** No data available

**Most important symptoms/effects (Delayed):** No data available

**Indication of immediate medical attention and special treatment needed, if necessary:** No additional first aid information available

# Safety Data Sheet

Product Name: 200 GR DK. BLUE FINE CLAY

Product identifier: PL600A

Revision Date: 08-19-2016

Replaces:

## 5. Fire-fighting measures

**Suitable (and unsuitable) extinguishing media:**

**Suitable extinguishing media:** Not combustible. Use extinguishing media appropriate for surrounding fire.

**Unsuitable extinguishing media:** No data available

**Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products):**

**Fire and/or Explosion Hazards:** Material will not ignite or burn.

**Hazards:**

**Hazardous Combustion Products:** Carbon dioxide, Carbon monoxide

**Special protective equipment and precautions for fire-fighters:** Will not burn, no special instructions available. Use methods appropriate for surrounding materials.

## 6. Accidental release measures

**Personal precautions, protective equipment, and emergency procedures:** No health effects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section VIII of this MSDS

**Methods and materials for containment and cleaning up:** No special spill clean-up considerations. Collect and discard in regular trash.

## 7. Handling and storage

**Precautions for safe handling:** Mildly irritating material. Avoid unnecessary exposure. Minimize dust generation and accumulation. As with all chemicals, good industrial hygiene practices should be followed when handling this material.

**Conditions for safe storage, including any incompatibilities**

**Conditions for safe storage:** Keep container closed when not in use

**Materials to Avoid/Chemical Incompatibility:** Acids Aluminum alloys Ammonia Metals

## 8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical Component	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL
Titanium dioxide	15 mg/m <sup>3</sup>	10 mg/m <sup>3</sup>	No data available

# Safety Data Sheet

Product Name: 200 GR DK. BLUE FINE CLAY

Product identifier: PL600A

Revision Date: 08-19-2016

Replaces:

---

**Appropriate engineering controls:** No exposure limits exist for the constituents of this product. General room ventilation might be required to maintain operator comfort under normal conditions of use. Good general room ventilation should be sufficient to control airborne contaminants to safe levels. Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits

**Individual protection measures, such as personal protective equipment:**

**Eye Protection:** Wear safety glasses when handling this product. Wear goggles if dusts can reach the exposure limit.

**Skin Protection:** Not normally considered a skin hazard. Where use can result in skin contact, practice good personal hygiene and wear a barrier cream and/or impervious surgical style gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.

**Respiratory Protection:** No respiratory protection required under normal conditions of use. Provide general room exhaust ventilation if symptoms of overexposure occur as explained Section III. A respirator is not normally required. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a respirator. Respiratory protection may be required in addition to ventilation depending upon conditions of use.

**Other Protective Equipment:** Wear goggles if dusts can reach the exposure limit.

## 9. Physical and chemical properties

**Appearance (physical state, color, etc.):**

**Appearance (physical state):** Solid

**Color:** Blue

**Odor:** No data available

**Odor threshold:** No data available

**pH:** No data available

**Melting Point/Freezing Point (°C):** No data available

**Initial Boiling Point and Boiling Range (°C):** 825

**Flash Point (°C):** No data available

**Evaporation Rate:** No data available

**Flammability (solid, gas):** No data available

**Upper/lower flammability or explosive limits:**

**Upper Flammable/Explosive Limit (%):** No data available

**Lower Flammable/Explosive Limit (%):** No data available

**Vapor Pressure:** No data available

**Vapor Density:** No data available

# Safety Data Sheet

Product Name: 200 GR DK. BLUE FINE CLAY

Product identifier: PL600A

Revision Date: 08-19-2016

Replaces:

Relative Density:	2
Solubility(ies):	Minimal; 1-9%
Partition coefficient: n-octanol/water:	No data available
Auto-ignition Temperature (°C):	No data available
Decomposition Temperature:	No data available
Viscosity:	No data available

## 10. Stability and reactivity

Reactivity:	No data available
Chemical stability:	Stable under normal conditions. Stable. However, may decompose if heated
Possibility of hazardous reactions:	No data available
Conditions to avoid (e.g., static discharge, shock, or vibration):	Contamination
Incompatible materials:	Acids Aluminum alloys Ammonia Metals
Hazardous decomposition products:	Carbon dioxide, Carbon monoxide

## 11. Toxicological information

Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact):	Inhalation, Ingestion, Skin contact, Eye contact
Symptoms related to the physical, chemical and toxicological characteristics:	No data available

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Immediate (Acute) Health Effects by Route of Exposure:

Inhalation Irritation:	Can cause minor respiratory irritation, dizziness, weakness, fatigue, nausea, and headache.
Inhalation Toxicity:	Harmful! Can cause systemic damage (see "Target Organs")
Skin Contact:	Can cause minor skin irritation, defatting, and dermatitis.
Skin Absorption:	No absorption hazard in normal industrial use.
Eye Contact:	Can cause minor irritation, tearing and reddening. Can causes slight irritation. Can cause mechanical irritation if dusts are generated.
Ingestion Irritation:	Mildly irritating to mouth, throat, and stomach. Can cause abdominal discomfort. No hazard in normal industrial use.
Ingestion Toxicity:	

Long-Term (Chronic) Health Effects:

Carcinogenicity:	May cause cancer.
Reproductive and	No data available to indicate product or any components present at greater than

# Safety Data Sheet

Product Name: 200 GR DK. BLUE FINE CLAY

Product identifier: PL600A

Revision Date: 08-19-2016

Replaces:

<b>Developmental Toxicity:</b>	0.1% may cause birth defects.
<b>Mutagenicity:</b>	No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.
<b>Inhalation:</b>	Upon prolonged and/or repeated exposure, can cause minor respiratory irritation, dizziness, weakness, fatigue, nausea, and headache. Harmful! Can cause systemic damage upon prolonged and/or repeated exposure (see "Target Organs")
<b>Skin Contact:</b>	Upon prolonged or repeated contact, can cause minor skin irritation, defatting, and dermatitis.
<b>Skin Absorption:</b>	Upon prolonged or repeated exposure, no hazard in normal industrial use.

## Numerical measures of toxicity (such as acute toxicity estimates)

### Component Toxicology Data

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50
No data available			

Whether the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
Titanium dioxide	N	Y	N
Crystalline Silica (Quartz)	Y	Y	Y

## 12. Ecological information

<b>Ecotoxicity (aquatic and terrestrial, where available):</b>	This material is not expected to be harmful to the ecology.
<b>Persistence and degradability:</b>	No data available
<b>Bioaccumulative potential:</b>	No data
<b>Mobility in soil:</b>	No data available
<b>Other adverse effects (such as hazardous to the ozone layer):</b>	No data available

### Ecological Toxicity Data

Chemical Component	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
Titanium dioxide	Aquatic EC50 (48h) Daphnia > 1000 ml/l		Aquatic LC50 (96h) > 1000 MG/L

## 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

**Waste treatment methods (including packaging):** Dispose of in a landfill. Disposal is not likely to be regulated.

# Safety Data Sheet

Product Name: 200 GR DK. BLUE FINE CLAY

Product identifier: PL600A

Revision Date: 08-19-2016

Replaces:

## 14. Transport information

UN number: No data available  
UN proper shipping name: Not Regulated  
Transport hazard class(es): No data available  
Packing group: No data available

The shipper is responsible for following all applicable regulations. The transportation classification provided is based on ITW Evercoat original packaging, which is suitable for domestic ground transport only.

## 15. Regulatory information

**Safety, health and environmental regulations specific for the product in question**

TSCA Status: All components in this product are on the TSCA Inventory.

### Regulated Components

Chemical Component	CAS number and other unique identifiers	CERCLA	SARA EHS	SARA 313	California Prop 65
Titanium dioxide	13463-67-7	N	N	Y	Y
Crystalline Silica (Quartz)	14808-60-7	N	N	N	Y

## 16. Other information, including date of preparation or last revision.

Revision Date: 08-19-2016  
Revision Number: 7

**Disclaimer:** NOTICE: The information accumulated herein is believed to be correct as of the date issued from sources, which are believed to be accurate and reliable. Since it is not possible to anticipate all circumstances of use, recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances